

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1910	("CIE") near ("1976")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:12
L2	5	I1 near (cheekbones or forehead or chin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:12
L3	9	I1 same (cheekbones or forehead or chin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:14
L4	31	I1 and (cheekbones or forehead or chin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:29
L5	16	I4 and (cosmetic or foundation or makeup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:29
L6	2308	hue near angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:57
L7	0	I6 near saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:57
L8	157	I6 near saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:58
L9	3	I8 and (cosmetic or makeup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 04:59

L10	1	l8 and (cosmetic?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 05:01
L11	9	l8 and ((foundation) or (personal adj care))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/10 05:01
S1	3	("making up dark skin")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:31
S2	3	"6238654"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:22
S3	169661	(cosmetic or composition?) and ((comprising or including or containing or consisting) and ("reflective particles") or ("reflective metal?") or colorants or dye? or ("coloring agent?"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:26
S4	7316	S3 and (foundation or ("foundation type"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:27
S5	2114	S4 and (("make up") or (make-up) or ("making up"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:28
S6	438	S5 and (hue angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:28
S7	419	S6 and (("physiologically acceptable medium") or (medium or carrier or solvent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:30

S8	0	("range of from 600 to 680 nm") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:32
S9	0	("600 to 680 nm") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:32
S10	3	("600" near "680") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:34
S11	0	("between about 38. degree. and about 77. degree.") and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:34
S12	0	((("38" near degree) or ("77" near degree)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:35
S13	394	((("38" w/n 1 degree) or ("77" w/n 1 degree)) and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:36
S14	394	S13 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:36
S15	153	S13 and ("iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:41
S16	54	S15 and (saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:44
S17	32	(S16 or S15 or S14) and ("first composition") or ("second composition")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:55

S18	0	(S16 or S15 or S14 or "I32") and ((brown or yellow or black) adj (iron adj oxide) and ((coat or coating or coated)same (perfluorooakly adj phosphate)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:51
S19	66	(S16 or S15 or S14 or "I32") and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:52
S20	66	(S16 or S15 or S14 or S17) and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:43
S21	4	(S16 or S15 or S14 or S17 or S20) and ("mica-brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:54
S22	4	(S16 or S15 or S14 or S17 or S20 or S21) and ("mica-brown")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:54
S23	5	("mica brown iron oxide") or ("mica-brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:55
S24	1482125	("mica brown) or ("mica-brown coated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:56
S25	3384813	("mica brown) or ("mica-brown coated iron oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:56
S26	0	("mica brown coated reflective particles") or ("mica-brown coated iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:57
S27	0	("mica brown reflective particles") or ("mica-brown coated iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:57

S28	66	S20 and (S24 or S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:00
S29	15	S28 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 12:59
S30	12	(S28 or S29) and ("perfluoroalkyl phosphate")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:01
S31	758474	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin)) and (S1 or S6 or S7 or S10 or S14 or S15 or S16 or S17 or S19 or S22 or S24 or S28 or S30))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:48
S32	3	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin)) and (S1 and S6 and S7 and S10 and S14 and S15 and S16 and S17 and S19 and S22 and S24 and S28 and S30))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:49
S33	12	((method or process or procedure) and ((applying or application or ("making-up" or ("making up"))) and skin))) and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:53
S34	6	S17 and (S33 or S32)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/18 13:56
S35	6	("making up dark skin")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11

S36	181828	(cosmetic or composition?) and ((comprising or including or containing or consisting) and ("reflective particles") or ("reflective metal?") or colorants or dye? or ("coloring agent?"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S37	8049	S36 and (foundation or ("foundation type"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S38	2403	S37 and (("make up") or (make-up) or ("making up"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S39	479	S38 and (hue angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S40	456	S39 and (("physiologically acceptable medium") or (medium or carrier or solvent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S41	3	("600" near "680") and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S42	428	((("38" w1n degree) or ("77" w1n degree)) and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S43	428	S42 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S44	171	S42 and ("iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11

S45	60	S44 and (saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S46	36	(S45 or S44 or S43) and (("first composition") or ("second composition"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S47	76	(S45 or S44 or S43 or "I32") and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S48	76	(S45 or S44 or S43 or S46) and (brown or yellow or black) adj (iron adj oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S49	4	(S45 or S44 or S43 or S46 or S48) and ("mica- brown iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S50	4	(S45 or S44 or S43 or S46 or S48 or S49) and ("mica-brown")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S51	1567486	("mica brown) or ("mica- brown coated)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S52	3607271	("mica brown) or ("mica- brown coated iron oxide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S53	76	S48 and (S51 or S52)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S54	17	S53 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11

S55	12	(S53 or S54) and ("perfluoroalkyl phosphate")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S56	3	((method or process or procedure) and ((applying or application or ("making-up" or ("making up")) and skin)) and (S35 and S39 and S40 and S41 and S43 and S44 and S45 and S46 and S47 and S50 and S51 and S53 and S55))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S57	12	((method or process or procedure) and ((applying or application or ("making-up" or ("making up")) and skin))) and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S58	6	S46 and (S57 or S56)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S59	6	S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:11
S60	12	S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:12
S61	3	S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:14
S62	25	"5463009"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:16
S63	8	"6451294"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17

S64	2	"6818205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17
S65	35	S62 or S63 or S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:17
S66	25	S65 and (reflective adj particle?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:19
S67	0	S65 and (saturation same hue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:20
S68	0	S65 and (hue adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:20
S69	0	S65 and (saturation same reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:21
S70	3	S65 and (reflectance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:21
S71	7	S65 and (angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:26
S72	27	(process or method or device or apparatus) and ((measuring or evaluating or determining) adj (hue adj angle))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:29
S73	460	"saturation C"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:36

S74	29	S73 and reflectance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:36
S75	8113	(colour or color) adj saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
S76	0	S75 same (relective adj particle?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
S77	9	S75 same cosmetic?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:39
S78	0	S77 and (hue adj angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:49
S79	7	("making up dark skin")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S80	190898	(cosmetic or composition?) and ((comprising or including or containing or consisting) and ("reflective particles") or ("reflective metal?") or colorants or dye? or ("coloring agent?"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S81	8663	S80 and (foundation or ("foundation type"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S82	2599	S81 and ("make up") or (make-up) or ("making up"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58

S83	533	S82 and (hue angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S84	507	S83 and (("physiologically acceptable medium") or (medium or carrier or solvent))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S85	475	(("38" wn1 degree) or ("77" w1n degree)) and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S86	475	S85 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S87	191	S85 and ("iron oxide")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S88	66	S87 and (saturation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S89	44	(S88 or S87 or S86) and (("first composition") or ("second composition"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S90	8780	(colour or color) adj saturation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S91	9	S90 same cosmetic?	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58
S92	487	S79 or S85 or S89 or S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:58

S93	98	(dark adj skin) and (make near up)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 00:59
S94	7787	((method or process) near (applying or apply)) and ((makeup) or (make adj up))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 01:01
S95	15	S94 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 01:01
S96	6	S95 and ((reflectance) or (reflecting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 01:02
S97	6	S96 and (dark near skin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 01:03

10/10/2008 5:04:00 AM

C:\Documents and Settings\Crae\My Documents\EAST\Workspaces\10743523-6Oct08-.wsp